

SubD
concl
C1
Cont

4 providing by said bridge server, in response to said received request, additional
5 content to the client system, in addition to the requested content to be provided to the
6 client system by the network server.

1 2. (Previously Once Amended) The method of claim 1 wherein said providing comprises
2 providing by said bridge server, additional information regarding said network server to
3 said client system.

1 3. (Previously Once Amended) The method of claim 1, wherein said providing comprises
2 providing by said bridge server said additional content to said client system without
3 altering the substance of the requested content to be provided by said network server.

1 4. (Previously Once Amended) The method of claim 1, further comprising checking by
2 said bridge server whether additional content corresponding to said network server exists.

1 5. Previously Cancelled.

1 6. (Previously Once Amended) The method of claim 1, wherein said additional content
2 comprises an option for making a telephone call.

1 7. (Previously Once Amended) The method of claim 6, wherein said option for making a
2 telephone call is an option allowing a user of the client computer system to make the
3 telephone call without having to provide the destination telephone number by the user.

1 8. (Previously Once Amended) The method of claim 6, wherein said option for making a
2 telephone call is an option allowing a user of the client system to make the telephone call
3 without terminating a current network communication session of the client system.

1 9. (Previously Once Amended) The method of claim 1, wherein the method further
2 comprises automatically establishing and facilitating a voice call to a PSTN handset by
3 the network server in response to a user of the client system selecting the additional
4 content.

1 10. (Previously Once Amended) The method of claim 1, wherein said providing
2 comprises providing an identifier of the additional content to the client system, as
3 opposed to the additional content itself.

1 11. (Previously Once Amended) The method of claim 10, wherein the identifier of the
2 additional content comprises a Uniform Resource Locator (URL) corresponding to the
3 additional content.

1 12. Previously Cancelled.

1 13. (Previously Once Amended) The method of claim 1, further comprising returning by
2 the bridge server to the client system, a marked version of the received request for re-
3 submission by the client system.

1 14. (Previously Once Amended) The method of claim 13, further comprising
2 receiving by the bridge server, the marked version of the request re-submitted by
3 the client system;
4 removing by the bridge server, the marking from the re-submitted request; and
5 forwarding the request to the network server.

1 15. (Previously Once Amended) The method of claim 13, wherein the marked version of

2 the request comprises a Uniform Resource Locator (URL) corresponding to the request,
3 appended with additional characters identifying the bridge server as the marking bridge
4 server.

1 16. (Now Twice Amended) The method of claim 1, wherein said providing comprises
2 returning by the bridge server a HyperText Markup Language (HTML) page to the client
3 system, wherein the HTML page includes a marked version of the request for re-
4 submission by the client system.

1 17. (Now Twice Amended) The method of claim 1, wherein said providing comprises
2 returning by said bridge server a HyperText Markup Language (HTML) page to the client
3 system, wherein the HTML page includes an identifier of the additional content for the
4 client system to retrieve the additional content.

1 18. (Now Twice Amended) The method of claim 1, wherein said providing comprises
2 returning a HyperText Markup Language (HTML) page to the client system, wherein the
3 HTML page includes the additional content.

Sub E17 1 19. (Now Twice Amended) A bridge server comprising:
2 control logic operative to receive a request for content from a client system
3 targeting a network server, and to check whether additional content is to be provided to
4 the client system, in addition to the requested content to be provided to the client system
5 by the network server; and
6 content-adding logic, coupled to the control logic, operative to provide the
7 additional content to the client system if the additional content is to be provided.

1 20. (Previously Once Amended) The bridge server of claim 19, wherein the content-

2 adding logic provides an identifier of the additional content to the client system, for the
3 client system to retrieve the additional content instead.

1 21. (Previously Once Amended) The bridge server of claim 20, wherein the identifier
2 comprises a Uniform Resource Locators (URL).

1 22. (Previously Once Amended) The bridge server of claim 19, wherein the bridge server
2 further comprises logic operative to automatically establish and facilitate a voice call to a
3 PSTN handset in response to selection of the additional content by a user of the client
4 system.

1 23. (Previously Once Amended) The bridge server of claim 19, wherein the control logic
2 is further operative to mark up the request, return the marked up request to the client
3 system for re-submission, and upon re-receive of the marked up request, remove the
4 marking, then forward the request to the targeted network server.

1 24. (Previously Once Amended) In a bridge server, a method comprising:
2 receiving by the bridge server a request for content from a client system targeting
3 a network server; and
4 marking up by the bridge server the received request and returning the marked up
5 request to the client system for re-submission.

1 25. (Previously Once Amended) The method of claim 24, wherein the method further
2 comprises re-receiving by the bridge server the marked up request from the client system,
3 removing the marking, and forwarding the request to the targeted network server.

1 26. Previously Cancelled.

1 27. Previously Cancelled.

1 28. Previously Cancelled.

1 29. (Previously Once Amended) A client system comprising:

2 control logic operative to transmit a request that targets a network server and to
3 re-transmit the request in a marked up form, upon receiving return of the request in said
4 marked up form from a bridge server.

1 30. (Previously Once Amended) The client system of claim 29, wherein the control logic
2 is further operative to transmit another request for additional content, upon receipt of an
3 identifier of the additional content from a bridge server provided in response to the first
4 transmission of the request.

1 31. Previously Cancelled.

1 32. Previously Cancelled.